To install JInitiator for IE:

Select **Tools** > **Internet Options**

Select **Security** tab.

Select **Custom Level** button.

Security Settings

Settings:

- ActiveX controls and plug-ins
  - Download signed ActiveX controls
    - ○ Disable
    - ● Enable
    - ○ Prompt
  - Download unsigned ActiveX controls
    - ○ Disable
    - ● Enable
    - ○ Prompt
  - Initialize and script ActiveX controls not marked as safe
    - ○ Disable
    - ● Enable
    - ○ Prompt

Reset custom settings

Reset to: Medium [Reset]

[OK] [Cancel]

Enable the following settings.
Download signed ActiveX controls
Download unsigned ActiveX controls
Initialize and script ActiveX controls not marked as safe
Run ActiveX controls and plug-ins
Scripts ActiveX controls marked safe for scripting
Downloads > File download
Downloads > Font download
Microsoft VM > Java permissions > Low safety
Miscellaneous > Access data sources across domains
Miscellaneous > Allow META REFRESH
Miscellaneous > Display mixed content
Miscellaneous > Don't prompt for client certificate selection when no certificates or only one certificate exists
Miscellaneous > Drag and drop or copy and paste files
Miscellaneous > Installation of desktop items
Miscellaneous > Launching programs and files in an IFRAME
Miscellaneous > Navigate sub-frames across different domains
**Software channel permissions**
Submit nonencrypted form data
Userdata persistence
Scripting > Active scripting
**Scripting > Allow paste operations via script**

Scripting > Scripting of Java applets

Change the **Reset custom settings** to **Low**.


Click OK.

Login to Oracle.

Select an application responsibility.

The JInitiator will begin to push down from the server to the client.

Select **Yes** to install the Oracle JInitiator when prompted.

Select **Next** on the Welcome screen.

Select **Next** on the Choose Destination Location screen.

Choose Destination Location

Setup will install Oracle JInitiator 1.1.8.16 in the following directory.

To install to this directory, click Next.

To install to a different directory, click Browse and select another directory.

You can choose not to install Oracle JInitiator 1.1.8.16 by clicking Cancel to exit Setup.

Destination Directory

C:\Program Files\Oracle\JInitiator 1.1.8.16   [Browse...]

[< Back] [Next >] [Cancel]

Oracle JInitiator 1.1.8.16

Decompressing Files to C:\WINNT\System32\
jscomm.dll

[====================   ] 31 %

[Cancel]

Click **OK** once installation is complete.

You are now logged into Oracle.

To reset your browser defaults:

Select **Tools** > **Internet Options**

Select **Security** tab.

Select **Default Level** button > click **Apply** > click **OK**.